

TYPICAL SPECIFICATIONS

Remote heads **VQ Series** shall be comprised of one (single) or two (double or twin) 12W adjustable heads with LED lamps. Each lamp shall be housed in an impact-resistant polycarbonate cube. The cube lens shall be frosted to diffuse the light. Heads shall provide mounting holes for installation on a standard octagonal box. The remote unit shall be the **Ready-Lite®** model: _____.

WIRE GUARDS


460.0082-RL	wall mount
-------------	------------

REPLACEMENT LAMPS

MODEL	LAMP TYPE	VOLTAGE/WATTAGE
580.0097-RL	MR16, LED	6V-4W
580.0122-RL	MR16, LED	6V-5W
580.0093-RL	MR16, LED	12V-4W
580.0104-RL	MR16, LED	12V-5W
580.0106-RL	MR16, LED	12V-6W
580.0098-RL	MR16, LED	24V-4W
580.0100-RL	MR16, LED	24V-6W
580.0113-RL	MR16, LED	120V-4W
580.0125-RL	MR16, LED	120V-7W

DIMENSIONS

Dimensions are approximate and subject to change.



ORDERING INFORMATION

SERIES	LAMP STYLE	# OF HEADS	LAMP STYLE/WATTAGE	OPTIONS	COLOUR
V= series	M= MR16	1= single cube 2= twin cube W= double cube	-LD1= MR16 LED, 6V-4W -LD2= MR16 LED, 6V-5W -LD7= MR16 LED, 12V-4W -LD9= MR16 LED, 12V-5W -LD10= MR16 LED, 12V-6W -LD13= MR16 LED, 24V-4W -LD14= MR16 LED, 24V-6W -LD26= MR16 LED, 120V-4W -LD27= MR16 LED, 120V-7W	Blank= no options TP= tamper-proof screws ¹	BK= black Blank= factory white

¹ 690.0454-RL= tamper-proof bit (sold separately)

EXAMPLE: VM1-LD13



VQ SERIES

Surface Mount, Remote Fixture

FEATURES

- Cubic, vandal-resistant surface-mounted fixture
 - Single, twin or double cube with center body
 - Frosted polycarbonate cube
 - CSA certified to C22.2 No.141-15
- See warranty details at: www.tnb.ca/en/brands/ready-lite